




TIN 205


Schedule of Plastic Piles

This document is uncontrolled if printed - latest issue can be downloaded from www.cpa.uk.net

Type 1 Trench Pile G200	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	0.42	26.13	45	2000	1.7	8.5

Type 2 Eco Z – Lite Rib Format	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	0.84	65	480	2600	2.55	8


Type 3 Eco Z - Rib Format	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	1.27	87.30	385	2600	3.05	10.1


Type 4 Eco Z - DuroRib	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	1.27	86.6	382	2600	5.8	9.54


TIN 205


Schedule of Plastic Piles

This document is uncontrolled if printed - latest issue can be downloaded from www.cpa.uk.net

Type 5 Europile	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	4.27	320	1800	2600	4.3	14.33

Type 6 MultiLock	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	3.94	175	1050	2300	6.2	12.4

Type 7 Ultra U333	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	4.87	304.5	1982.5	2600	4.4	13.2

Type 8 Ultra U460	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	5.1	380	2413	2600	6	13



Construction Plant-hire Association
Shoring Technology Interest Group
Shoring Technical Information Note

HSE
Endorsement
Pending

TIN 20X

Schedule of Plastic Piles

This document is uncontrolled if printed - latest issue can be downloaded from www.cpa.uk.net

Type 9 Ultra PU460 (Premium)	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	5.29	397	2976	2600	7.2	15.65

Type 10 ProLock	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	7.09	315	3950	2300	8.4	16.8

Type 11 Ultra U610/6.4	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	7.7	580	5174	2600	8	13.1

Type 12 Ultra U610/7.2	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	10.4	780	7895	2600	9.8	16



Construction Plant-hire Association
Shoring Technology Interest Group
Shoring Technical Information Note



TIN 205

Schedule of Plastic Piles

This document is uncontrolled if printed - latest issue can be downloaded from www.cpa.uk.net

Type 13 Ultra PU600 (Premium) PU600PremiumMultiple	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	12.9	967	10633	2600	13.5	22.5


Type 14 Ultra U610/9	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	14.7	1100	12576	2600	12.5	20.5

Type 15 Ultra Z7	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	16.39	1229	15652	2600	6	20.68


TIN 205


Schedule of Plastic Piles

This document is uncontrolled if printed - latest issue can be downloaded from www.cpa.uk.net

Type 16 Truline	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	19.7*	892.5*	9013 *	2620	10.6	34.78

* Based on full scale performance testing

Type 17 Ultra Z9	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	23.3	1745	22223	2600	8	27.58

Type 18 Ultra Z11	ALLOWABLE BENDING MOMENT	SECTION MODULUS	MOMENT OF INERTIA	Modulus of Elasticity	WEIGHT PER M	WEIGHT PER SQ. M
	kNm/m	cm ³ /m	cm ⁴ /m	MPa	kg/m	kg/m ²
	26	1951	24847	2600	9.8	33.8